
Multilingual Language Models: NLP Beyond English



Eric Wallace CS 288



NLP Beyond English

• An overwhelming majority of NLP research focuses on English!

How to build non-English NLP systems?

- translate baseline
- monolingual LMs for each language
- multilingual LMs



Translate Baseline





Translate Baseline



Pros:

- Straightforward to implement
- Strong baseline, especially for classification tasks



Translate Baseline



Pros:

- Straightforward to implement
- Strong baseline, especially for classification tasks

Cons:

- Suffers from cascading errors
- Limited to languages that translation systems support
- Can be slow and computationally expensive
- Translation is fundamentally lossy?





• Can we just repeat the LM pre-training pipeline for other languages?



Can we just repeat the LM pre-training pipeline for other languages?
 o Sort of!




Can we just repeat the LM pre-training pipeline for other languages?
 o Sort of!

	** flax-community/gpt-2-spanish 🗇 💟 like 🔢	
	🐶 Text Generation 🎸 PyTorch 🏼 🚜 JAX TensorBoard 🧐 Safetensors 🤗 Transformers 📑 oscar	Spanish gpt2
	Model card Hereit Files and versions Training metrics Oceanomy 1	: 🕲 Train - 🕫 Deploy -
	🖉 Edit model card	
-	Spanish GPT-2	Downloads last month 2,004
	GPT-2 model trained from scratch on the Spanish portion of OSCAR. The model is	
	trained with Flax and using TPUs sponsored by Google since this is part of the	Hosted inference API I
	Flax/Jax Community Week organised by HuggingFace.	Text Generation



Can we just repeat the LM pre-training pipeline for other languages?
 o Sort of!






Datasets: squad_es
Tasks: 🔁 Question Answering Sub-tasks: extractive-qa Languages: 🖶 Spanish Multilinguality: monolingual Size Categories: 10K <n<100k< td=""></n<100k<>
Language Creators: machine-generated Annotations Creators: machine-generated Source Datasets: extended squad ArXiv: 🗅 arxiv:1912.05200 License: 🏛 cc-by-4.0
Dataset card → Files and versions Community 1
Datasets: ••• Hello-SimpleAI/ HC3-Chinese
Tasks: 👯 Text Classification 😫 Question Answering 🤐 Sentence Similarity +1 Languages: 🌐 English 🔀 Chinese Size Categories: 10K <n<100k arxiv:="" arxiv:2301.0<="" td="" 🗅=""></n<100k>
Tags:ChatGPTSimpleAlDetection+1License: 1 cc-by-sa-4.0
■ Dataset card → ■ Files and versions ← Community
Datasets: german_legal_entity_recognition 🗅 🛇 like 0
Tasks: 👯 Token Classification Sub-tasks: named-entity-recognition Languages: 🔀 German Multilinguality: monolingual Size Categories: n<1K Language Creators: four
Annotations Creators: expert-generated Source Datasets: original License: a cc-by-4.0

Evaluating LMs in Other Languages

Language	Premise / Hypothesis	Genre	Label
English	You don't have to stay there. You can leave.	Face-To-Face	Entailment
French	La figure 4 montre la courbe d'offre des services de partage de travaux. Les services de partage de travaux ont une offre variable.	Government	Entailment
Spanish	Y se estremeció con el recuerdo. El pensamiento sobre el acontecimiento hizo su estremecimiento.	Fiction	Entailment
German	Während der Depression war es die ärmste Gegend, kurz vor dem Hungertod. Die Weltwirtschaftskrise dauerte mehr als zehn Jahre an.	Travel	Neutral
Swahili	Ni silaha ya plastiki ya moja kwa moja inayopiga risasi. Inadumu zaidi kuliko silaha ya chuma.	Telephone	Neutral
Russian	И мы занимаемся этим уже на протяжении 85 лет. Мы только начали этим заниматься.	Letters	Contradiction
Chinese	让我告诉你,美国人最终如何看待你作为独立顾问的表现。 美国人完全不知道您是独立律师。	Slate	Contradiction
Arabic	تحتاج الوكالات لأن تكون قادرة على قياس مستويات النجاح. لا يمكنأللوكابات أ اتعرف ما إذا كانت ناجحة أم لا	Nine-Eleven	Contradiction




There is not enough unlabeled data for each language



Credit: Graham Neubig




Compute and complexity of serving 100-1000s of different models




Credit: Graham Neubig



Multilingual Language Models?



Multilingual Language Models?



Promises:

- Share world knowledge, syntax, etc. across languages?
- Use related languages to enhance transfer?



Simply rerun BERT with 100+ language's Wikipedia and new BPE



Simply rerun BERT with 100+ language's Wikipedia and new BPE

Masked Languag Modeling (MLM)	je	take			[/s]	Trans	former	drink		now 1		
	•	↑	•	•	•	•	•	•	▲	∧	•	•
Token embeddings	[/s]	[MASK]	a	seat	[MASK]	have	a	[MASK]	[/s]	[MASK]	relax	and
-	+	+	+	+	+	+	+	+	+	+	+	+
Position embeddings	0	1	2	3	4	5	6	7	8	9	10	11
· ·	+	+	+	+	+	+	+	+	+	+	+	+
Language embeddings	en	en	en	en	en	en	en	en	en	en	en	en



This works surprisingly well!



This works surprisingly well!

How multilingual is Multilingual BERT?

Telmo Pires*Eva SchlingerDan Garrette

Google Research

{telmop,eschling,dhgarrette}@google.com

On the Cross-lingual Transferability of Monolingual Representations

Mikel Artetxe[†]*, Sebastian Ruder[‡], Dani Yogatama[‡] [†]HiTZ Center, University of the Basque Country (UPV/EHU) [‡]DeepMind mikel.artetxe@ehu.eus {ruder,dyogatama}@google.com



This works surprisingly well!

How multilingual is Multili	ngual BERT?	
	What makes multiling	gual BERT multilingual?
Telmo Pires* Eva Schlinger	Dan Garrette	
Google Research { telmop,eschling,dhgarret		cture in Pretrained Language Models
On the Cross-lingual Transferability of M		* Alexis Conneau $^{\heartsuit}$ * ettlemoyer $^{\heartsuit}$ Veselin Stoyanov $^{\heartsuit}$
Mikel Artetxe [†] *, Sebastian Ruder [‡] [†] HiTZ Center, University of the Basque [‡] DeepMind mikel.artetxe@eh {ruder, dyogatama}@go	Country (UPV/EHU)	




Non-English Tokenizers

▶ We can use standard BPE tokenizers
 ○ massively increase vocab size (50k → 250k+)




Non-English Tokenizers

- Or use unicode byte-level models



Data Resampling

Problem: training data highly imbalanced




- → High resource languages have much more data than low-resource ones
- → Important to upsample low-resource data in this setting!

Credit: Graham Neubig



Data Resampling

Problem: training data highly imbalanced



- → Sample data based on dataset size scaled by a temperature term
- → Easy control of how much to upsample low-resource data

Credit: Graham Neubig



Translation MLM

If I have translation data, can use it to enhance masked LM training

Translation Language Modeling (TLM)			curtains	were				les ↑			bleus	
						Transf	ormer					
	↑	^	^	^	^	^		^	^	^	^	▲
Token embeddings	[/s]	the	[MASK]	[MASK]	blue	[/s]	[/s]	[MASK]	rideaux	étaient	[MASK]	[/s]
	+	+	+	+	+	+	+	+		+	+	+
Position embeddings	0	1	2	3	4	5	0	1	2	3	4	5
	+	+	+	+	+	+	+	+	+	+	+	+
Language embeddings	en	en	en	en	en	en	fr	fr	fr	fr	fr	fr

Existing Multilingual Language Models

Model	Architecture	Parameters	# languages	Data source
mBERT (Devlin, 2018)	Encoder-only	110M	104	Wikipedia
XLM (Lample and Conneau, 2019)	Encoder-only	570M	100	Wikipedia
XLM-R (Conneau et al., 2019)	Encoder-only	$270\mathrm{M}-550\mathrm{M}$	100	Common Crawl (CCNet)
mBART (Lewis et al., 2019a)	Encoder-decoder	680M	25	Common Crawl (CC25)
MARGE (Lewis et al., 2020)	Encoder-decoder	960M	26	Wikipedia or CC-News
mT5 (ours)	Encoder-decoder	300M - 13B	101	Common Crawl (mC4)


Multilingual Few-shot Learning

Can use LMs out of the box for few-shot learning in different languages

Language	Premise / Hypothesis	Genre	Label
English	You don't have to stay there. You can leave.	Face-To-Face	Entailment
French	La figure 4 montre la courbe d'offre des services de partage de travaux. Les services de partage de travaux ont une offre variable.	Government	Entailment
Spanish	Y se estremeció con el recuerdo. El pensamiento sobre el acontecimiento hizo su estremecimiento.	Fiction	Entailment
German	Während der Depression war es die ärmste Gegend, kurz vor dem Hungertod. Die Weltwirtschaftskrise dauerte mehr als zehn Jahre an.	Travel	Neutral
Swahili	Ni silaha ya plastiki ya moja kwa moja inayopiga risasi. Inadumu zaidi kuliko silaha ya chuma.	Telephone	Neutral
Russian	И мы занимаемся этим уже на протяжении 85 лет. Мы только начали этим заниматься.	Letters	Contradiction
Chinese	让我告诉你,美国人最终如何看待你作为独立顾问的表现。 美国人完全不知道您是独立律师。	Slate	Contradiction
Arabic	تحتاج الوكالات لأن تكون قادرة على قياس مستويات النجاح. لا يمكنأللوكانات أ اتعرف ما إذا كانت ناجحة أم لا	Nine-Eleven	Contradiction

Multilingual Few-shot Learning

• Can use LMs out of the box for few-shot learning in different languages



Cross-lingual Supervised Transfer

If I have supervised data, can transfer to languages w/o supervised data

Prompt:

l'époque.

Écrivez une courte histoire sur une grenouille qui voyage dans le temps jusqu'à la Grèce antique en français.

GPT-3 175B completion:	InstructGPT
Écrivez une histoire au sujet d'un enfant qui voudrait tout savoir sur les jeux des dieux et qui se retrouve dans l'une de leurs histoires.	La grenouille qu'un objecti dre la Grèce
Écrivez une histoire sur un jeune homme qui a une aventure dans une époque lointaine avec une fille de	Premier probl avait entendu

Écrivez une histoire sur un enfant qui est envoyé à l'école et qui a un ami imaginaire qui lui permet de voyager dans le temps.

InstructGPT 175B completion:


La grenouille était perdue et épuisée. Elle n'avait qu'un objectif en tête: voyager dans le temps et atteindre la Grèce antique.


Premier problème, trouver un moyen de transport. Elle avait entendu dire que l'un des meilleurs moyens était de sauter dans une machine temporelle. Elle s'élança, et voilà qu'elle se retrouva dans le passé, au cours d'une nuit étoilée à l'odeur douce et envoûtante.

La grenouille avance alors d'un pas rapide et aventureux dans les rues en pente et les petites auberges de la ville antique. [...]

Cross-lingual Supervised Transfer

If I have supervised data, can transfer to languages w/o supervised data





Cross-lingual Supervised Transfer

If I have supervised data, can transfer to languages w/o supervised data

